Product Environmental Aspects Declaration

EP and IJ printer (PCR number: AD-04)



http://www.brother.co.jp/

For inquiry: Environmental Product Group Environmental Management Dept. Brother Industries, Ltd. Tel: +81-52-824-2406 FAX: +81-52-824-5667



No. AD-11-157 Date of publication Sep./6/2011


Inkjet Multifunction Printer DCP-J925N **Specifications:**

- Color Inkjet Printing
- Recording Paper Size: A4 (Max. 210 x 297mm)
- Duplex Printing

The following data is calculated by assuming the product rints 7,200 sheets in 3-year usage period.
< Main environmental impact in the product lifecycle >

- 1,740MJ
- Energy consumption
 - 102.4kg Global warming impact (CO2 equivalent) 0.151kg
- Acidification impact (SO2 equivalent)





Electric power consumption in 3 years of "Use stage" is 9.16kWh.

The above data does not include the environmental impact of the paper that is used for printing.

Notes:

- 1. Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- 2. Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PCR: Product Category Rule. Visit EcoLeaf website under JEMAI homepage at http://www.jemai.or.jp/ecoleaf_e/ for details.
- 3. The units used for EcoLeaf calculations are based on Japanese domestic data. Overseas data has not been applied.

[Supplemental environmental information]

- The product assembly and main parts of ink and inkjet head are produced at plants certified with ISO 14001.
- The product conforms to the International Energy Star Program.
- The product has obtained the ECO Mark certification (3R & Energy-Saving Design).

PCR review was conducted by: PCR Deliberation Committee, January 01, 2008, Name of representative: Yohji Uchiyama, University of Tsukuba, Graduate School

Independent verification of the label and data, according to ISO 14025 🗌 internal 🔳 external Third party verifier *: System auditor, Shozo Nakamuta Program operator: Japan Environmental Management Association for Industry Email: ecoleaf@jemai.or.jp

* In the case of a business entity certified as an Ecoleaf-data-collection system, the names of certification auditors are written.

Product Environmental Information Data Sheet (PEIDS)



Doc	ument	contro	ol no.		F-02	2As-02		1			最境情報 w.jemai.or.jp	
F	Product	t vende	or	Bro	ther In	dustries,LTD.			Unit Function DE	version	v2.1	
EcoL	.eaf reg	istrati	on no.		AD-	11-157		Charact	erization Factor DE		v2.1	
	PCR	name		EP and	IJ printer Product type			DCP-J925N				
	PCR code AD-04				Product weight (kg)	9.15	Package (kg)	1.76	Weight total (kg)	10.9		
In/Ou	t items			Life Cycle Stage	Unit	Produ Row motorial		Distribution	Use	Disposal	Total	
in/Ou	t items	_			MJ	Raw material	Product 1,24E+02	2.51E+01	4.88E+02	1.07E+01	1.74E+03	
		Energ	y Cons	umption	Mcal	2.61E+02	2.97E+01	6.00E+00	1.16E+02	2.57E+00	4.16E+02	
			ly Ses	Coal	kg	5.21E+00	7.94E-01	5.86E-05	1.28E+00	6.42E-02	7.34E+00	
			Energy esources	Crude oil (for fuel)	kg	1.09E+01	1.01E+00	5.48E-01	3.62E+00	1.15E-01	1.62E+01	
			En	LNG	kg	2.24E+00	3.99E-01	8.47E-03	1.42E+00	3.31E-02	4.10E+00	
	_		2	Uranium content of an ore Crude oil (for material)	kg	2.15E-04 5.32E+00	5.38E-05 1.98E-03	3.98E-09 0	8.40E-05 3.39E+00	4.34E-06 0	3.57E-04 8.71E+00	
	ion			Iron content of an ore	kg kg	2.48E+00	0	0	1.08E-02	0	2.49E+00	
	pt			Cu content of an ore	kg	1.67E-01	0	0	0	0	1.67E-01	
	un		resources eral irces	Al content of an ore	kg	3.76E-02	0	0	0	0	3.76E-02	
	SUC	ole		Ni content of an ore	kg	1.21E-02	0	0	5.26E-03	0	1.74E-02	
	ŭ	stik rce		Cr content of an ore	kg	1.71E-02	0	0	7.13E-03	0	2.43E-02	
	e	au:	_ s	Mn content of an ore	kg	1.29E-02	0	0	9.05E-04	0	1.38E-02	
	Jur	Exhaustible resources	Mineral esources	Pb content of an ore	kg	7.33E-03	0	0	0	0	7.33E-03	
	esc		ine ou	Sn content of an ore	kg	-	-	-	-	-		
	mpact by Resource Consumption		E ≥	Zn content of an ore	kg	7.22E-02	0	0	0	0	7.22E-02	
			_	Au content of an ore	kg	-	-	-	-	-		
	g			Ag content of an ore	kg	-	-	-	-	-		
	edu			Silica Sand	kg	6.52E-01	0	0	6.99E-05	0	6.52E-01	
es	μ			Halite	kg	4.88E-01	1.38E-03	0	1.51E-03	3.82E-03	4.94E-01	
Inventory anaiyses				Limestone	kg	7.76E-01	8.94E-02	0	1.24E-01	8.75E-02	1.08E+00	
na				Natural soda ash	kg	6.85E-02	0	0	0	0	6.85E-02	
∠a		Rene	wable	Wood	kg	3.52E+00	3.24E-02	0	3.47E+00	0	7.02E+00	
tor		reso	urces	Water	kg	5.40E+03	6.06E+02	4.44E-02	1.47E+03	5.43E+01	7.53E+03	
en				CO2	kg	5.49E+01	8.56E+00	1.78E+00	2.57E+01	9.45E+00	1.00E+02	
2				SOx	kg	3.28E-02	5.85E-03	1.04E-03	1.45E-02	4.96E-03	5.91E-02	
	to			NOx	kg	7.24E-02	6.92E-03	7.75E-03	3.34E-02	1.07E-02	1.31E-01	
	X	t	0	N2O	kg	5.24E-03	1.23E-04	3.09E-04	1.29E-03	1.45E-05	6.98E-03	
	a a	Atmos	sphere	CH4	kg	5.75E-04	1.44E-04	1.06E-08	2.25E-04	1.16E-05	9.55E-04	
	arc			CO	kg	6.36E-03	1.24E-03	1.88E-03	4.12E-03	1.97E-03	1.56E-02	
	at c			NMVOC	kg	1.12E-03	2.81E-04	2.08E-08	4.40E-04	2.28E-05	1.87E-03	
	jis m			CxHy	kg	2.45E-03	4.84E-05	2.43E-04	6.47E-04	3.87E-05	3.42E-03	
	Emission/Dischargexx he environment			Dust BOD	kg	7.43E-03	2.11E-04	7.59E-04	2.30E-03	6.10E-04	1.13E-02	
	sio	+	0	COD	kg kg	_		_		_		
	nis er		ater	N total	kg kg	-	_	_		_		
	the Em		nain	P total	kg							
	þ	uon		SS	kg	-	-	-	-	-		
	act			Unspecified Solid Waste	kg	5.34E-01	5.37E-04	0	1.46E+00	4.78E+00	6.77E+00	
	Impact			Slag	kg	8.69E-01	0	0	6.81E-03	0	8.76E-01	
	5		0	Sludge	kg	7.65E-03	0	0	0	0	7.65E-03	
		Soil s	ystem	Low level radio-active waste	kg	1.50E-04	3.75E-05	2.78E-09	5.87E-05	3.03E-06	2.50E-04	
nent	Resource nsumptio n	Exhau	ustible	Energy resources (crude oil equivalent)	kg	1.87E+01	2.44E+00	5.59E-01	6.83E+00	2.32E-01	2.87E+01	
Impact assessment	by Resource Consumptio n	reso	urces	Mineral resources (Iron ore equivalent)	kg	5.12E+01	1.09E-03	0	6.02E+00	0	5.72E+01	
act as		t	0	Global Warming (CO2 equivalent)	kg	5.64E+01	8.60E+00	1.87E+00	2.61E+01	9.45E+00	1.02E+02	
Impa	Impact by Emission/ Discharge to	Atmos	sphere	Acidification (SO2 equivalent)	kg	8.34E-02	1.07E-02	6.47E-03	3.79E-02	1.24E-02	1.51E-01	

[Notes for readers: EcoLeaf common rules]

I. Stage related

A. "Production" stage is intended for two sub-stages listed below.

(1) "Raw material" production: consists of mining, transportation and raw material production (2) "Product" production: consists of the parts processing, assembly and installation.

B. "Distribution" stage is intended for transportation of produced product. Transportation of consumables and maintenance goods (e.g., replacement parts) for use of the product are included into "Use" stage C "Use" stage in intended for use of the product (active mode, standby mode, etc.) and production, transportation to disposal of consumables/maintenance goods (e.g., replacement parts

D. "Disposal" stage in intended for environmental impacts by product disposal.

II. Inventory analyses

A. Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g., iron, aluminum) in the ore.

B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel

C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

III. Impact analyses

Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CO2 in case of "Global Warming"). A. Impact "by resource consumption" represents magnitude of impacts to resource depletion.

B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system

IV. Data entry format

A. Exponential notation, after the decimal point to two, should be used. B. Indicate "0" instead exponential notation, if the result of calculation or estimation is considered as "zero" or negligible in comparison to related results

C. Indicate "-" if calculation nor estimation can not be done, in order to differentiate to indicate "zero"

D. Row total of the data is automatically calculated, excluding a row includes "-" item. Row total of such is presented as a blank (no data).

(BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

[Notes for readers: Target product specific]

1. Product weight includes an ink cartridge and other accessories. Packaging weight includes packaging material and appended goods (e.g., user's manual, other printed matter).

2. Production stage includes the production/distribution impact of the parts making up a machine and the initial set of an ink cartridge and an inkiet head, as well as the impact of product assembly. 3. Distribution stage's impact is calculated according to the PCR. The transportation distance of a product from an overseas factory to the port of Japan is based on actual distance

The transportation distance in Japan uses 100 km as average distance

4. Use stage's impact is calculated according to the PCR. It includes the impact of printing 2 sets of the 5 types of images defined by the ISO/IEC-24712 a day.

A user is supposed to use a machine for 3 years, print 10 sheets a day, and operate a machine 8 hours a day, 20 days a month, 12 months a year.

A machine is supposed to be powered off for 16 hours when it is not used. The production, distribution, and disposal/recycle impact of the ink cartridges used in those 3 years is also included.

The distribution impact of consumables is calculated under the same condition of products:

The transportation distance of consumables from an overseas factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance

Since we have no past record of consumables collection/recycle, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of consumables.

5. Disposal stage: Since we have not collected machines as a producer in Japan, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material

This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of machines.

Form 3(F-03s-02)

Product data sheet

	(Input data and parameters for LCA)
Document control no.	F-03s-02
Product vendor	Brother Industries,LTD.
EcoLEaf registration no.	AD-11-157



10.9

PSC name	EP and IJ printer(PCR ID:AD-04)	Product type				
LCA/LCIA in units of:	1	Product weight (kg)	9.15	Package (kg)	1.76	weight total (kg)

1. Prod	uct information (per unit): parts	etc. by materia	l and by process/assembly me	ethod				
		Breakdown of pr	imary materials	Math breakdown of parts, which need to apply Processing / Assembly base Units (Parts B,C)				
	Material name	Weight (kg)	eight (kg) Material name		Process name Weight (kg)		Process name	Weight (kg)
	Steel	1.96E+00	Paper	1.61E+00	Press molding: Iron (kg)	2.01E+00	Parts assembly (kg)	4.47E+00
#	Stainless steel	7.65E-02 Semiconductor substrate		6.54E-01	Press molding: Nonferrous metal (kg)	3.37E-03		
duct	Aluminum	3.37E-03	Wood	4.29E-04	injection molding (kg)	5.55E+00		
ĕ	Other metal	0.00E+00	Medium-sized motor	3.86E-01	Glass molding (kg)	6.23E-01		
<u> </u>	Thermoplastic resin	5.35E+00	Lubricants	1.77E-03				
	Thermosetting resin	1.01E-02	Clean water	3.74E-02				
	Rubber	1.92E-01						
	Glass	6.23E-01						
	Subtotal	8.22E+00	Subtotal	2.69E+00				
		Total		1.09E+01	Subtotal	8.19E+00	Subtotal	4.47E+00

Note

2. Production site information (per unit): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO₂, NO₂ equivalent.

	Classificatior	Material	Material	Energy	Energy	Energy	Energy	Energy	Material
Ę	Distribution	Corrugated cardboard (kg)	PP (kg)	Clean water (kg)	Furnace urban gas (13A) (m3)	Electricity (kwh)	Diesel truck: 10 ton (kg.km)	Diesel truck: 4 ton (kg.km)	Incineration: Industrial waste (kg)
tio	Quantity	1.52E-02	1.99E-03	9.69E-02	2.86E-04	4.99E+00	4.31E+01	1.85E+00	1.31E+00
du	Note								
sul	Classificatior	Material	Energy	Energy	Energy	Energy			
Con	Distribution	Clean water (kg)	Incineration: Industrial waste (kg)	Gasoline as fuel (kg)	Freight by air (kg.km)	Freight by ship (kg.km)			
	Quantity	1.30E+00	6.71E-02	2.44E-02	1.32E+02	1.15E+02			
	Note								
e _/	Classificatior								
Emission , Discharge	Distribution								
in is	Quantity								
	Note								

Note

3. Distribution stage information (per unit): means, distance, loading ratio, consumptions and emissions/discharges.

	Means of	Diesel truck:	Diesel truck:	Diesel truck:	Diesel truck:	Freight by	Freight by	Freight by	Freight by
-	transportation	20 ton (kg.km)	20 ton (kg.km)	20 ton (kg.km)	20 ton (kg.km)	ship (kg.km)	ship (kg.km)	ship (kg.km)	ship (kg.km)
	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg · km)
.o	Quantity	1.09E+01	8.50E+01	4.91E+01	1.89E+03	1.09E+01	2.63E+03	1.00E+02	2.87E+04
prit	Note								
ti i	Means of	Diesel truck:	Diesel truck:	Diesel truck:	Diesel truck:				
isi	transportation	10 ton (kg.km)	10 ton (kg.km)	10 ton (kg.km)	10 ton (kg.km)				
	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg · km)				
	Quantity	1.09E+01	1.00E+02	4.91E+01	2.22E+03				
	Note								

Note

4. Use stage (per unit): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

	Classificatior	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Electricity (kwh)	Diesel truck: 20 ton (kg.km)	Freight by ship (kg.km)	Diesel truck: 10 ton (kg.km)	Stainless steel plate (kg)	Low density polyethylene (kg)	PP (kg)	POM(polyacetal) (kg)
	Quantity	9.16E+00	5.83E+02	1.68E+04	9.36E+02	3.33E-02	1.82E-01	2.19E+00	7.65E-01
	Note	Electricity consumption for	Distribution of consumables used in	Distribution of consumables used in	Distribution of consumables used in				
		3 years	3 years	3 years	3 years				
	Classificatior	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
Product	Distribution	ABS (kg)	PET (kg)	Nitrile-butadiene rubber (NBR) (kg)	Paper (Western style)	Corrugated cardboard (kg)	Cardboard (kg)	Clean water (kg)	injection molding (kg)
ро	Quantity	3.71E-01	3.38E-01	2.81E-02	6.27E-02	3.87E-01	1.09E+00	1.55E+00	4.02E+00
Pr	Note								
	Classificatior	Consumption	Consumption	Consumption	Consumption	Process			
	Distribution	Press molding: Iron (kg)	Electricity (kwh)	Gasoline as fuel (kg)	Furnace urban gas (13A) (m3)	Incineration: Industrial waste (kg)			
	Quantity	3.33E-02	1.30E+00	4.56E-04	3.31E-04	7.71E-01			
	Note					Production of consumables used in			
			3 years	3 years	3 years	3 years			

Note: At "Use Stage", the product electricity consumption in 3 years usage period is 9.16kWh .

4.2 Disposition/Recycle information on consumables and replacement parts

s	Classificatior	Consumption	Process	Process	Process		
able	Distribution	Diesel truck:	Shredding (kg)	Incineration to landfill	Landfill:		
ma		4 ton (kg.km)	Shiedding (kg)	(as ash) (kg)	General waste (kg)		
sul	Quantity	5.55E+02	4.24E+00	5.70E+00	3.58E-02		
ü	Note	Consumables not	Consumables not	Consumables not	Consumables not		
ú	Note	collected	collected	collected	collected		
Note							

5. Disposition/Recycle stage information (per product): process method and scenarios

	Classificatior	Consumption	Process	Process	Process		
.0	Distribution	Diesel truck:	Shredding (kg)	Incineration to landfill	Landfill:		
ar		4 ton (kg.km)	Shredding (kg)	(as ash) (kg)	General waste (kg)		
cen	Quantity	1.03E+03	8.84E+00	6.89E+00	3.71E+00		
Ň	Note	Machines not collected	Machines not collected	Machines not collected	Machines not collected		
Note							