# **Product** Environmental Aspects Declaration

EP and IJ printer (PCR number: AD-04)



No. AD-17-E891 Date of publication May/17/2017



## http://www.brother.co.jp/

#### For inquiry:

**Environmental Product Group** Production Innovation Dept. **Production & Engineering Center** Brother Industries, Ltd.

Tel: +81-52-824-2511(Representative)

FAX: +81-52-824-5166

# Color Laser Printer HL-L8360CDW Specifications:

- Electrophotographic Printer (EP)
- Printing Speed: 31 ppm in both color and black ( A4 )
- Maximum Printing Size: Legal
- · Flexible Wireless & Wired Interfaces
- Duplex Printing

The following data is calculated by assuming the product prints 576,600 sheets in 5-year usage period.

- < Main environmental impact in the product lifecycle >
- Energy consumption

34,300MJ


Global warming impact (CO<sub>2</sub> equivalent)

2,079.8kg

Acidification impact (SO<sub>2</sub> equivalent)

3.31kg





- Electric power consumption in 5 years of "Use stage" is 447kWh.
- The above data does not include the environmental impact of the paper that is used for printing.

- 1. Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- 2. Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PCR:Product Category Rule. Visit EcoLeaf website under JEMAI homepage at http://www.ecoleaf-jemai.jp/eng/ for details.
- 3. Basic Units used for calculations are based on Japan domestic data at this time, due to a lack of base data to establish localized Basic Unit for overseas locations adequately.
- 4. This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

### [Supplemental environmental information]

The product assembly and main parts of toner and photoreceptor are produced at plants certified with ISO 14001. The product conforms to the International Energy Star Program.


PCR review was conducted by: PCR Deliberation Committee, January 01, 2008, Name of representative: Yohji Uchiyama, University of Tsukuba, Graduate School Independent verification of the label and data, according to ISO 14025 ☐ internal ■ external Third party verifier \*: System auditor, Yasuo Koseki

Program operator: Japan Environmental Management Association for Industry Email: ecoleaf@jemai.or.jp

The EcoLeaf is an environmental labeling program that belongs to the ISO-Type Ⅲ category.

<sup>\*</sup> In the case of a business entity certified as an Ecoleaf-data-collection system, the names of certification auditors are written.

# Product Environmental Information Data Sheet (PEIDS)





PCR name	EP&IJ printer	Product type	HL-L8360CDW				
PCR code	AD-04	Product weight (kg)	22.24	Package (kg)	3.97	Weight total (kg)	26.21

	_			Life Cycle Stage		Prod	uction				
In/Out ite	ems				Unit	Raw material	Product	Distribution	Use	Disposition	Total
		Energy	Consur	motion	MJ	2.53E+03	3.11E+02	6.02E+01	3.14E+04	2.24E+01	3.43E+04
	Energy Consumption			Mcal	6.05E+02	7.43E+01	1.44E+01	7.50E+03	5.36E+00	8.20E+03	
			roes	Coal	kg	1.44E+01	1.94E+00	1.41E-04	1.50E+02	1.33E-01	1.67E+02
			nosa.	Crude oil (for fuel)	kg	2.43E+01	2.55E+00	1.31E+00	2.94E+02	2.42E-01	3.23E+02
			rgy r	LNG	kg	5.13E+00	1.06E+00	2.03E-02	5.69E+01	6.87E-02	6.32E+01
			Erx	Uranium content of an ore	kg	4.54E-04	1.31E-04	9.53E-09	5.51E-03	9.02E-06	6.11E-03
	e o			Crude oil (for material)	kg	1.20E+01	1.13E-02	0	1.43E+02	0	1.55E+02
	pti	S		Iron content of an ore	kg	8.10E+00	0	0	6.83E+01	0	7.64E+01
	Ę	5		Cu content of an ore	kg	3.28E-01	0	0	1.02E-01	0	4.30E-01
	ารเ	ğ		Al content of an ore	kg	5.20E-01	0	0	4.78E+00	0	5.30E+00
	Impact by Resource Consumption	Exhaustible resources	S	Ni content of an ore	kg	3.88E-02	0	0	3.92E-01	0	4.30E-01
			Mineral resources	C content of an ore	kg	5.50E-02	0	0	5.54E-01	0	6.09E-01
		ig	no	Mn content of an ore	kg	4.47E-02	0	0	4.24E-01	0	4.69E-01
	D O	ıst	es	Pb content of an ore	kg	1.40E-02	0	0	5.35E-03	0	1.94E-02
	es	jar	=	Sn content of an ore	kg	-	-	-	-	-	
	~	×	era	Zn content of an ore	kg	1.38E-01	0	0	5.27E-02	0	1.91E-01
	á	ш	i.	Au content of an ore	kg	-	-	-	-	-	
	g		2	Ag content of an ore	kg	-	-	-	-	-	
S	ğ			Silica Sand	kg	7.11E-01	0	0	1.87E+00	0	2.58E+00
Š	≟			Halite	kg	2.67E+00	4.27E-04	0	1.82E+01	8.63E-03	2.09E+01
Inventory anaiyses				Limestone	kg	1.97E+00	2.76E-02	0	1.93E+01	1.80E-01	2.15E+01
ਲੋ				Natural soda ash	kg	6.48E-02	0	0	1.21E-01	0	1.86E-01
Š		Renewable	resources	Wood	kg	6.95E+00	8.84E-01	0	3.03E+02	0	3.11E+02
뒫		rtononabit	7100001000	Water	kg	1.18E+04	1.53E+03	1.06E-01	9.83E+04	1.13E+02	1.12E+05
Š Š	nt	Φ		CO2	kg	1.28E+02	1.71E+01	4.28E+00	1.88E+03	1.95E+01	2.05E+03
⊆	me			Sox	kg	8.93E-02	1.22E-02	2.50E-03	1.16E+00	1.02E-02	1.28E+00
	u <sub>o</sub>	Š	<u> </u>	Nox	kg	1.70E-01	1.32E-02	1.85E-02	2.68E+00	2.21E-02	2.91E+00
	Emission/Discharge to the environment	2	5	N2O	kg	1.21E-02	5.58E-04	7.43E-04	1.13E-01	3.05E-05	1.26E-01
		Š	<u>~</u>	CH4	kg	1.20E-03	3.51E-04	2.55E-08	1.47E-02	2.41E-05	1.62E-02
	‡	\$	•	CO	kg	1.80E-02	2.61E-03	4.47E-03	3.91E-01	4.12E-03	4.20E-01
	\$		7	NMVOC	kg	2.35E-03	6.88E-04	4.99E-08	2.87E-02	4.73E-05	3.18E-02
	- Ge		5	СхНу	kg	5.69E-03	1.53E-04	5.82E-04	5.98E-02	8.30E-05	6.63E-02
	hal			Dust	kg	1.82E-02	6.81E-04	1.81E-03	2.16E-01	1.27E-03	2.38E-01
	isc	E E	ain	BOD	kg	-	-	-	-	-	
	٥	system	E O	COD	kg	-	-	-	-	-	
	io		terc	N total	kg	-	-	-	-	-	
	iss	Water	o Water domain	P total	kg	-	-	-	-	-	
		to	t 2	SS	kg	-	-	-	-	-	
	ρ̂			Unspecified Solid Waste	kg	1.49E+00	1.14E-02	0	1.39E+02	1.08E+01	1.51E+02
	Impact	to Soil	system	Slag	kg	2.67E+00	0	0	2.10E+01	0	2.37E+01
	ğ	.0 0011	_,0.0.11	Sludge	kg	9.68E-01	0	0	1.02E+01	0	1.12E+01
	드			Low level radio-active waste	kg	3.17E-04	9.18E-05	6.66E-09	3.85E-03	6.30E-06	4.26E-03
ŧ	by Resource Consumption	Exhau	ustible	Energy resources (crude oil equivalent)	kg	4.35E+01	6.14E+00	1.34E+00	5.05E+02	4.85E-01	5.56E+02
Impact assessment		resor	urces	Mineral resources (Iron ore equivalent)	kg	1.17E+02	6.21E-03	0	5.00E+02	0	6.17E+02
npact as	Impact by Emission/Discharge to the environment	t		Global Warming (CO2 equivalent)	kg	1.32E+02	1.72E+01	4.48E+00	1.91E+03	1.95E+01	2.08E+03
-	Impa Emission/ to the env	Atmos	phere	Acidification (SO2 equivalent)	kg	2.08E-01	2.14E-02	1.54E-02	3.04E+00	2.57E-02	3.31E+00

### [Notes for readers: EcoLeaf common rules]

- I. Stage related

  A. "Production" stage is intended for two sub-stages listed below.
- (1) "Raw material" production; consists of mining, transportation and raw material production.
- (2) "Production: consists of the parts processing, assembly and installation.

  B. "Distribution" stage is intended for transportation of produced product. Transportation of consumables and maintenance goods (e.g. replacement parts) for use of the product are included into "Use" stage.
- C. "Use" stage is intended for use of the product (active mode, standby mode, etc.) and production, transportation to disposal of consumables/maintenance goods (e.g. replacement parts)
- D. "Disposition" stage is intended for environmental impacts by product disposition.

### II. Inventory analyses

- A. Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g. iron, aluminum) in the ore.

  B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel.
- C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CO<sub>2</sub> in case of "Global Warming").

A. Impact "by resource consumption" represents magnitude of impacts to resource depletion.

B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system.

- A. Exponential notation, after the decimal point to two, should be used.
- R. Exponentian location, and the decamposite of wind plant of the field of the fiel
- (BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

### [Notes for readers: Target product specific]

- 1. Product weight includes the accessories as standard equipment, a toner cartridge and a drum unit. Packaging weight includes packaging material and appended goods (e.g., user's manual, other printed matter, polyethylene bags).
- 2. Production stage includes the production/distribution impact of the parts making up a machine and the initial set of a toner cartridge and a photo conductor, as well as the impact of product assembly.
- 3. Distribution stage's impact is calculated according to the PCR. The transportation distance of a product from an overseas factory to the port of Japan is based on actual distance.

The transportation distance in Japan uses 100 kmas average distance

- 4. Use stage's impact is calculated according to the PCR. It includes the impact of printing 576,600 sheets, calculated by supposing a user use a machine for 5 years
- It also includes the electricity consumption of a machine calculated based on 5-year use, supposing a month consists of 4 weeks, with weekly electricity consumption calculated by the TEC test procedure

The production, distribution, and disposal/recycle impact of the consumables used in those 5 years is also included.

The distribution impact of consumables is calculated under the same condition of products:

The transportation distance of consumables from an overseas factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance

Since we have not collected consumables as a producer, which are newly introduced, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material.

This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of consumables 5. Disposal stage: Since we have not collected machines as a producer, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material.

This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of machines. 6. Others: This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

### Product data sheet

Document control no.	F-03s-02					
Product vendor	Brother Industries,LTD.					
EcoLEaf registration no.	AD-17-E891					



PCR name	EP and IJ printer(PCR ID:AD-04)	Product type	HL-L8360CDW					
LCA/LCIA in units of:	1	Product weight (kg)	22.24	Package (kg)	3.97	Weight total (kg)	26.21	

1. Product information (per unit): parts etc. by material and by process/assembly method

		Bre	eakdown of pi	rimary materials		Math breakdown of parts, whi	ch need to apply I	Processing / Assembly Base Uni	its (Parts B, C)
		Material name	Weight (kg)	Material name	Weight (kg)	Process name	Weight (kg)	Process name	Weight (kg)
		Steel	6.92E+00	Paper	3.26E+00	Press molding:Iron (kg)	7.16E+00	Parts assembly (kg)	3.69E+00
		Stainless steel	2.44E-01	Semiconductor substrate	1.25E+00		2.55E-01		
	<b>.</b>	Aluminum	4.27E-01	Medium-sized motor	7.84E-01	Injection molding (kg)	1.26E+01		
	roduct	Other metal	3.00E-03	Lubricants	9.38E-03	Glass molding (kg)	4.04E-01		
		Thermoplastic resin	1.25E+01						
	۵.	Thermosetting resin	1.91E-02						
		Rubber	4.43E-01						
		Glass	4.04E-01						
		Subtotal	2.09E+01	Subtotal	5.30E+00				
			Total		2.62E+01	Subtotal	2.05E+01	Subtotal	3.69E+00
_									

2. Production site information (per unit): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO<sub>2</sub>, NO<sub>2</sub> equivalent.

	Classification	Material	Energy	Energy	Energy	Energy	Energy	Energy	Energy
	Distribution	Corrugated cardboard (kg)	Electricity (kWh)	Diesel truck:10 ton (kg·km)	Diesel truck:4 ton (kg·km)	Furnace LNG (kg)	Diesel oil as fuel (kg)	Heavy oil as fuel (kg)	Freight by ship (kg·km)
. <u>5</u>	Quantity	4.15E-01	1.19E+01	5.20E+01	2.87E+02	7.63E-02	3.90E-03	1.33E-01	6.26E+02
듈	Note								
Consumption	Classification	Material	Energy	Material					
Ş	Distribution	Low density polyethylene (kg)	Incineration: Industrial waste (kg)	Polypropylene (kg)					
	Quantity	3.74E-03	4.27E-01	7.60E-03					
	Note								
arge	Classification								
Disch	Distribution								
sion/Di	Quantity								
Emiss	Note	_							

Note

3. Distribution stage information (per unit): means, distance, loading ratio, consumptions and emissions/discharges.

			· · · · · · · · · · · · · · · · · · ·						
	Means of transportation	Diesel truck:20 ton (kg·km)	Diesel truck:20 ton (kg·km)	Diesel truck:20 ton (kg·km)	Diesel truck:20 ton (kg·km)	Freight by ship (kg·km)			
	Conditions	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)
8	Quantity	2.62E+01	4.00E+01	4.67E+01	2.25E+03	2.62E+01	2.63E+03	1.00E+02	6.89E+04
buti	Note								
	Means of transportation	Diesel truck:10 ton (kg·km)	Diesel truck:10 ton (kg·km)	Diesel truck:10 ton (kg·km)	Diesel truck:10 ton (kg·km)				
ă	Conditions	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)				
	Quantity	2.62E+01	1.00E+02	3.72E+01	7.04E+03				
	Note								

Note

4. Use stage (per unit): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Electricity (kWh)	Diesel truck:20 ton (kg·km)	Freight by ship (kg·km)	Diesel truck:10 ton (kg·km)	Electroplated steel Plate (kg)	Stainless steel plate (kg)	Copper plate (kg)	Aluminum plate (kg)
	Quantity	4.47E+02	9.61E+04	8.86E+05	1.86E+05	6.49E+01	2.47E+00	5.70E-02	4.51E+00
	Note	Electricity consumption for 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years				
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Glass (kg)	High density polyethylene (kg)	Low density polyethylene (kg)	Polypropylene (kg)	Polycarbonate (kg)	Polystyrene (kg)	PBT (kg)	Polycarbonate-ABS (70/30) (kg)
	Quantity	1.34E+00	7.42E-02	1.51E+01	7.92E+00	7.73E+00	4.45E+01	5.12E-02	4.09E+00
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	POM(polyacetal) (kg)	AS resin (kg)	PA66(Polyamide 66) (kg)	ABS (kg)	MMA resin (kg)	PET (kg)	Expandable soft polyunethane(for automobile) (kg)	Ntrile-butadiene rubber(NBR) (kg)
	Quantity	6.67E+00	3.91E+01	3.08E-01	1.21E+01	4.64E-01	6.04E+00	1.14E+00	7.94E+00
+	Note								
Product	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
<u> </u>	Distribution	Corrugated cardboard (kg)	Medium-sized motor (kg)	Paper(Western style) (kg)	Assembled circuit board (kg)	Injection molding (kg)	Press molding:Iron (kg)	Press molding:Nonferrous metal (kg)	Glass molding (kg)
	Quantity	1.31E+02	1.80E-01	1.80E+00	3.53E-01	1.10E+02	6.08E+01	1.26E+00	1.34E+00
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Parts assembly (kg)	Electricity (kWh)	Diesel oil as fuel (kg)	Electricity (kWh)	Heavy oil as fuel (kg)	LNG (kg)	Freight by ship (kg·km)	Diesel truck:10 ton (kg·km)
	Quantity	5.64E+01	1.17E+02	6.03E-02	2.41E+02	1.98E+01	1.45E+00	8.41E+04	6.99E+03
	Note		Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials
	Classification	Consumption	Process	Consumption	Consumption	Consumption			
	Distribution	Diesel truck:4 ton (kg·km)	Incineration: Industrial waste (kg)	Corrugated cardboard (kg)	Low density polyethylene (kg)	Polypropylene (kg)			
	Quantity	5.46E+03	1.14E+01	9.90E+00	5.03E-01	1.02E+00			
	Note	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials			

Note Electric power consumption in 5 years of "Use stage" is 447kWh.

2 Disposition/Recycle information on consumables and replacement parts

7.0	2 Disposition/recoyole information on consumables and replacement parts											
Г		Classification	Consumption	Process	Process	Process						
		Distribution	Diesel truck:4 ton (kg·km)	Shredding (kg)	Incineration to landfil(as ash) (kg)	Landfill:General waste (kg)						
	uma	Quantity	3.51E+04	2.01E+02	3.08E+02	7.52E+01						
	Cons	Note	Consumables not collected	Consumables not collected	Consumables not collected	Consumables not collected						

5. Disposition/Recycle stage information (per product): process method and scenarios

٠.	Diapo	Januon/Nec	ycie stage illioili	lation (per prout	ict). process me	tilou allu scellari	03		
		Classification	Consumption	Process	Process	Process			
Scenario	<u>.</u> و	Distribution	Diesel truck:4 ton (kg·km)	Shredding (kg)	Incineration to landfil(as ash) (kg)	Landfill:General waste (kg)			
	₽	Quantity	2.21E+03	1.88E+01	1.42E+01	8.60E+00			
	Sce	Note	Machines not collected	Machines not collected	Machines not collected	Machines not collected			

Note