Product Environmental Aspects Declaration

EP and IJ printer (PCR number: AD-04)



No. AD-17-E893 Date of publication May/17/2017



http://www.brother.co.jp/

For inquiry:

Environmental Product Group Production Innovation Dept. Production & Engineering Center Brother Industries, Ltd.

Tel: +81-52-824-2511(Representative)

FAX: +81-52-824-5166

Color Laser Printer **HL-L9310CDW**Specifications:

- Electrophotographic Printer (EP)
- Color
- Printing Speed: 31 ppm in both color and black (A4)
- Maximum Printing Size: Legal
- Flexible Wireless & Wired Interfaces
- Duplex Printing

The following data is calculated by assuming the product prints 576,600 sheets in 5-year usage period.


< Main environmental impact in the product lifecycle >

Energy consumption

- 30,200MJ
- Global warming impact (CO₂ equivalent)
- 1,815.8kg
- Acidification impact (SO₂ equivalent)

2.95kg





- Electric power consumption in 5 years of "Use stage" is 447kWh.
- The above data does not include the environmental impact of the paper that is used for printing.

Notes:

- 1. Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- 2. Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PCR:Product Category Rule. Visit EcoLeaf website under JEMAI homepage at http://www.ecoleaf-jemai.jp/eng/ for details.
- 3. Basic Units used for calculations are based on Japan domestic data at this time, due to a lack of base data to establish localized Basic Unit for overseas locations adequately.
- 4. This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

[Supplemental environmental information]

The product assembly and main parts of toner and photoreceptor are produced at plants certified with ISO 14001.

The product conforms to the International Energy Star Program.


PCR review was conducted by: PCR Deliberation Committee, January 01, 2008, Name of representative: Yohji Uchiyama, University of Tsukuba, Graduate School Independent verification of the label and data, according to ISO 14025 ☐ internal ■ external Third party verifier *: System auditor, Yasuo Koseki

Program operator: Japan Environmental Management Association for Industry Email: ecoleaf@jemai.or.jp

* In the case of a business entity certified as an Ecoleaf-data-collection system, the names of certification auditors are written.

The EcoLeaf is an environmental labeling program that belongs to the ISO-Type III category.

Product Environmental Information Data Sheet (PEIDS)





PCR name	EP&IJ printer	Product type	HL-L9310CDW				
PCR code	AD-04	Product weight (kg)	22.56	Package (kg)	4.14	Weight total (kg)	26.70

	_			Life Cycle Stage	I India	Produ	uction	5: () (D: '''	T
In/Out ite	ms				Unit	Raw material	Product	Distribution	Use	Disposition	Total
		Energy	Consur	nntion	MJ	2.57E+03	3.32E+02	6.41E+01	2.73E+04	2.26E+01	3.02E+04
		Lilorgy	Consu		Mcal	6.14E+02	7.92E+01	1.53E+01	6.51E+03	5.41E+00	7.22E+03
			80	Coal	kg	1.45E+01	2.02E+00	1.50E-04	1.31E+02	1.35E-01	1.48E+02
			restor	Crude oil (for fuel)	kg	2.47E+01	2.79E+00	1.40E+00	2.55E+02	2.45E-01	2.84E+02
			, da	LNG	kg	5.17E+00	1.10E+00	2.16E-02	5.10E+01	6.94E-02	5.73E+01
			E	Uranium content of an ore	kg	4.57E-04	1.37E-04	1.02E-08	4.95E-03	9.11E-06	5.55E-03
	on			Crude oil (for material)	kg	1.24E+01	2.37E-02	0	1.18E+02	0	1.31E+02
	mpact by Resource Consumption	တ္		Iron content of an ore	kg	8.10E+00	0	0	5.51E+01	0	6.32E+01
	Ē	8		Cu content of an ore	kg	3.29E-01	0	0	1.02E-01	0	4.30E-01
	ารเ	ਰ		Al content of an ore	kg	5.20E-01	0	0	4.78E+00	0	5.30E+00
	ō	esi	Se	Ni content of an ore	kg	3.88E-02	0	0	3.42E-01	0	3.81E-01
	0	Exhaustible resources	ĕ	C content of an ore	kg	5.50E-02	0	0	4.82E-01	0	5.37E-01
	20		Mineral resources	Mn content of an ore	kg	4.47E-02	0	0	3.47E-01	0	3.91E-01
	no		es	Pb content of an ore	kg	1.41E-02	0	0	5.35E-03	0	1.94E-02
	es		Ę	Sn content of an ore	kg	-	-	-	-	-	
	~	꽃	919	Zn content of an ore	kg	1.39E-01	0	0	5.27E-02	0	1.91E-01
	ĝ	ш	<u>≘</u> .	Au content of an ore	kg	-	-	-	-	-	
	to		2	Ag content of an ore	kg	-	-	-	-	-	
80	ed			Silica Sand	kg	7.12E-01	0	0	1.72E+00	0	2.43E+00
yse	≗			Halite	kg	2.66E+00	4.58E-04	0	1.73E+01	8.65E-03	2.00E+01
jaj.				Limestone	kg	1.97E+00	2.97E-02	0	1.57E+01	1.82E-01	1.79E+01
ā				Natural soda ash	kg	6.49E-02	0	0	1.21E-01	0	1.86E-01
Š		Renewable	racourcae	Wood	kg	7.04E+00	9.25E-01	0	2.51E+02	0	2.59E+02
Inventory anaiyses		Iteriewabie	163001663	Water	kg	1.19E+04	1.59E+03	1.13E-01	8.72E+04	1.14E+02	1.01E+05
Š	r t			CO2	kg	1.29E+02	1.82E+01	4.55E+00	1.61E+03	1.97E+01	1.79E+03
	the environment	а)	Sox	kg	8.99E-02	1.29E-02	2.79E-03	1.03E+00	1.04E-02	1.15E+00
		o Atmosphere	5	Nox	kg	1.72E-01	1.48E-02	2.19E-02	2.33E+00	2.24E-02	2.56E+00
		2	_	N2O	kg	1.22E-02	6.63E-04	7.60E-04	9.72E-02	3.07E-05	1.11E-01
		ů.	3	CH4	kg	1.21E-03	3.65E-04	2.71E-08	1.31E-02	2.44E-05	1.47E-02
	the	\$		CO	kg	1.81E-02	2.77E-03	5.77E-03	3.53E-01	4.17E-03	3.84E-01
	to	4		NMVOC	kg	2.37E-03	7.15E-04	5.32E-08	2.57E-02	4.78E-05	2.89E-02
	ge	tc		CxHy	kg	5.77E-03	2.06E-04	6.55E-04	5.18E-02	8.36E-05	5.85E-02
	Jar			Dust	kg	1.85E-02	8.36E-04	2.09E-03	1.88E-01	1.28E-03	2.10E-01
	sch	Ę	Ë	BOD	kg	-	-	-	-	-	
	Ö	system	mg	COD	kg	-	-	-	-	-	
	ion	<u>ه</u> ي	o Water domain	N total	kg	-	-	-	-	-	
	SS	to Water:	Vate	P total	kg	-	-	-	-	-	
	Emission/Discharge to	to _	to_v	SS	ka	-	-	-	-	-	
				Unspecified Solid Waste	kg	1.53E+00	1.23E-02	0	1.15E+02	1.08E+01	1.28E+02
	t	40 Co'l		Slag	kg	2.68E+00	0	0	1.70E+01	0	1.97E+01
	Impact by	to Soil	system	Sludge	kg	9.68E-01	0	0	1.02E+01	0	1.12E+01
	<u>E</u>			Low level radio-active waste	kg	3.20E-04	9.54E-05	7.10E-09	3.45E-03	6.36E-06	3.88E-03
t.	by Resource Consumption	Exhau	ıstible	Energy resources (crude oil equivalent)	kg	4.39E+01	6.52E+00	1.43E+00	4.41E+02	4.89E-01	4.93E+02
sessmer		resou	ırces	Mineral resources (Iron ore equivalent)	kg	1.18E+02	1.30E-02	0	4.32E+02	0	5.50E+02
mpact assessment	Impact by Emission/Discharge to the environment	to)	Global Warming (CO2 equivalent)	kg	1.33E+02	1.84E+01	4.76E+00	1.64E+03	1.97E+01	1.82E+03
<u>-</u>	Imps Emission/ to the env	Atmos	phere	Acidification (SO2 equivalent)	kg	2.10E-01	2.32E-02	1.81E-02	2.67E+00	2.60E-02	2.95E+00

[Notes for readers: EcoLeaf common rules]

- I. Stage related

 A. "Production" stage is intended for two sub-stages listed below.
- (1) "Raw material" production: consists of mining, transportation and raw material production.
- (2) "Production: consists of the parts processing, assembly and installation.

 B. "Distribution" stage is intended for transportation of produced product. Transportation of consumables and maintenance goods (e.g. replacement parts) for use of the product are included into "Use" stage.
- C. "Use" stage is intended for use of the product (active mode, standby mode, etc.) and production, transportation to disposal of consumables/maintenance goods (e.g. replacement parts)
- D. "Disposition" stage is intended for environmental impacts by product disposition.

II. Inventory analyses

- A. Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g. iron, aluminum) in the ore.

 B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel.
- C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CO₂ in case of "Global Warming").

A. Impact "by resource consumption" represents magnitude of impacts to resource depletion.

B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system.

- A. Exponential notation, after the decimal point to two, should be used.
- R. Exponentian location, and the decamposite of wind plant of the field of the fiel
- (BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

[Notes for readers: Target product specific]

- 1. Product weight includes the accessories as standard equipment, a toner cartridge and a drum unit. Packaging weight includes packaging material and appended goods (e.g., user's manual, other printed matter, polyethylene bags).
- 2. Production stage includes the production/distribution impact of the parts making up a machine and the initial set of a toner cartridge and a photo conductor, as well as the impact of product assembly.
- 3. Distribution stage's impact is calculated according to the PCR. The transportation distance of a product from an overseas factory to the port of Japan is based on actual distance.

The transportation distance in Japan uses 100 kmas average distance

- 4. Use stage's impact is calculated according to the PCR. It includes the impact of printing 576,600 sheets, calculated by supposing a user use a machine for 5 years
- It also includes the electricity consumption of a machine calculated based on 5-year use, supposing a month consists of 4 weeks, with weekly electricity consumption calculated by the TEC test procedure

The production, distribution, and disposal/recycle impact of the consumables used in those 5 years is also included.

The distribution impact of consumables is calculated under the same condition of products:

The transportation distance of consumables from an overseas factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance

Since we have not collected consumables as a producer, which are newly introduced, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material. This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of consumables

- 5. Disposal stage: Since we have not collected machines as a producer, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material.
- This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of machines.
- 6. Others: This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

Product data sheet

	(input data and parameters for LCA)					
Document control no.	F-03s-02					
Product vendor	Brother Industries,LTD.					
EcoLEaf registration no.	AD-17-E893					



PCR name	EP and IJ printer(PCR ID:AD-04)	Product type	HL-L9310CDW				
LCA/LCIA in units of:	1	Product weight (kg)	22.56	Package (kg)	4.14	Weight total (kg)	26.70

1. Product information (per unit): parts etc. by material and by process/assembly method

	Bri	eakdown of pr	rimary materials		Math breakdown of parts, which need to apply Processing / Assembly Base Units (Parts B, C)				
	Material name	Weight (kg)	Material name	Weight (kg)	Process name	Weight (kg)	Process name	Weight (kg)	
	Steel	6.92E+00	Paper	3.30E+00	Press molding:Iron (kg)	7.16E+00	Parts assembly (kg)	3.81E+00	
	Stainless steel	2.44E-01	Semiconductor substrate	1.25E+00	Press molding:Nonferrous metal (kg)	2.55E-01			
-	Aluminum 4.27E-01		Medium-sized motor	7.84E-01	Injection molding (kg)	1.27E+01			
anct	Other metal 3.00E-03		Lubricants	9.38E-03	Glass molding (kg)	4.04E-01			
rod	Thermoplastic resin	1.29E+01							
_	Thermosetting resin	1.91E-02							
	Rubber	4.43E-01							
	Glass	4.04E-01							
	Subtotal	2.14E+01	Subtotal	5.34E+00					
	Total				Subtotal	2.06E+01	Subtotal	3.81E+00	

2. Production site information (per unit): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO₂, NO₂ equivalent.

	Classification	Material	Energy	Energy	Energy	Energy	Energy	Energy	Energy
	Distribution	Corrugated cardboard (kg)	Electricity (kWh)	Diesel truck:10 ton (kg·km)	Diesel truck:4 ton (kg·km)	Furnace LNG (kg)	Diesel oil as fuel (kg)	Heavy oil as fuel (kg)	Freight by ship (kg·km)
ion	Quantity	4.34E-01	1.31E+01	1.09E+02	2.87E+02	7.63E-02	3.90E-03	2.63E-01	1.31E+03
Consumption	Note								
ınsı	Classification	Material	Material	Energy					
Cor	Distribution	Low density polyethylene (kg)	Polypropylene (kg)	Incineration: Industrial waste (kg)					
	Quantity	7.85E-03	1.59E-02	4.58E-01					
	Note								
arge	Classification								
Disch	Distribution								
/uois	Quantity								
Emist	Note								

3. Distribution stage information (per unit): means, distance, loading ratio, consumptions and emissions/discharges.

	Means of transportation	Diesel truck:20 ton (kg·km)	Freight by ship (kg·km)						
	Conditions	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)
5	Quantity	2.67E+01	4.00E+01	3.04E+01	3.51E+03	2.67E+01	2.63E+03	1.00E+02	7.02E+04
oution	Note								
Distrib	Means of transportation	Diesel truck:10 ton (kg·km)							
ă	Conditions	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)				
	Quantity	2.67E+01	1.00E+02	3.04E+01	8.77E+03				
	Note								

Note

4. Use stage (per unit): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Electricity (kWh)	Diesel truck:20 ton (kg·km)	Freight by ship (kg·km)	Diesel truck:10 ton (kg·km)	Electroplated steel Plate (kg)	Stainless steel plate (kg)	Copper plate (kg)	Aluminum plate (kg)
	Quantity	4.47E+02	6.97E+04	7.78E+05	1.75E+05	5.23E+01	2.16E+00	5.70E-02	4.51E+00
	Note	Electricity consumption for 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years				
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Glass (kg)	High density polyethylene (kg)	Low density polyethylene (kg)	Polypropylene (kg)	Polycarbonate (kg)	Polystyrene (kg)	PBT (kg)	Polycarbonate-ABS (70/30) (kg)
	Quantity	1.34E+00	7.42E-02	1.07E+01	6.49E+00	7.68E+00	3.45E+01	5.12E-02	3.91E+00
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	POM(polyacetal) (kg)	PA66(Polyamide 66) (kg)	AS resin (kg)	ABS (kg)	MMA resin (kg)	PET (kg)	Expandable soft polyunethane(for automobile) (kg)	Ntrile-butadiene rubber(NBR) (kg)
	Quantity	5.76E+00	3.08E-01	3.45E+01	1.06E+01	4.64E-01	4.04E+00	8.39E-01	6.28E+00
5	Note								
Product	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
품	Distribution	Corrugated cardboard (kg)	Paper(Western style) (kg)	Medium-sized motor (kg)	Assembled circuit board (kg)	Press molding:lron (kg)	Press molding:Nonferrous metal (kg)	Glass molding (kg)	Injection molding (kg)
	Quantity	1.07E+02	1.42E+00	1.80E-01	3.53E-01	5.00E+01	1.26E+00	1.34E+00	8.88E+01
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Parts assembly (kg)	Electricity (kWh)	Diesel oil as fuel (kg)	Electricity (kWh)	Heavy oil as fuel (kg)	LNG (kg)	Diesel truck:10 ton (kg·km)	Diesel truck:4 ton (kg·km)
	Quantity	5.17E+01	9.18E+01	4.76E-02	2.19E+02	1.74E+01	1.45E+00	6.16E+03	5.46E+03
	Note		Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials
	Classification	Consumption	Process	Consumption	Consumption	Consumption			
	Distribution	Freight by ship (kg·km)	Incineration: Industrial waste (kg)	Corrugated cardboard (kg)	Low density polyethylene (kg)	Polypropylene (kg)			
	Quantity	7.41E+04	1.10E+01	9.62E+00	4.43E-01	9.00E-01			
	Note	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials	Production of Consumable materials			

Note Electric power consumption in 5 years of "Use stage" is 447kWh.

4.2 Disposition/Recycle information on consumables and replacement parts

7.2 0	2 Disposition/recoyole information on consumatics and replacement parts												
တ္	Classification	Consumption	Process	Process	Process								
Consumable	Distribution	Diesel truck:4 ton (kg·km)	Shredding (kg)	Incineration to landfil(as ash) (kg)	Landfill:General waste (kg)								
	Quantity	2.89E+04	1.71E+02	2.52E+02	6.23E+01								
	Note	Consumables not collected	Consumables not collected	Consumables not collected	Consumables not collected								

5. Disposition/Recycle stage information (per product): process method and scenarios

J. L	. Disposition/Necycle stage information (per product). Process method and scenarios												
Scenario		Classification	Consumption	Process	Process	Process							
	.e	Distribution	Diesel truck:4 ton (kg·km)	Shredding (kg)	Incineration to landfil(as ash) (kg)	Landfill:General waste (kg)							
	⊆	Quantity	2.22E+03	1.88E+01	1.44E+01	8.60E+00							
	Note	Machines not collected	Machines not collected	Machines not collected	Machines not collected								

Note