Product Environmental Aspects **Declaration**

EP and IJ printer (PCR number: AD-04)



No. AD-18-E1083 Date of publication Sep./28/2018



http://www.brother-usa.com/

For inquiry:

Environmental Product Group Production Innovation Dept.

Quality, Production & Engineering Center Brother Industries, Ltd.

Tel: +81-52-824-2511 (Representative)

Fax: +81-52-824-5166

brothe

Color Printer HL-L3290CDW


Specifications:

- Electrophotographic Printer (EP)
- Color
- Printing Speed: 24 ppm in both color and black (A4)
- **Maximum Printing Size: Legal**
- Flexible Wireless Interface
- Duplex Printing

The following data is calculated by assuming the product prints 345,600 sheets in 5-year usage period.

- < Main environmental impact in the product lifecycle >
- Energy consumption

- 33,900MJ
- Global warming impact (CO₂ equivalent)
- 2,147.0kg
- Acidification impact (SO₂ equivalent)
- 3.35kg



- Electric power consumption in 5 years of "Use stage" is 322kWh. The above data does not include the environmental impact of the paper that is used for printing.

Notes:

- 1. Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- 2. Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PCR:Product Category Rule. Visit EcoLeaf website under JEMAI homepage at http://www.ecoleaf-jemai.jp/eng/ for details.
- 3. Basic Units used for calculations are based on Japan domestic data at this time, due to a lack of base data to establish localized Basic Unit for overseas locations adequately.
- 4. This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

[Supplemental environmental information]

The product assembly and main parts of toner and photoreceptor are produced at plants certified with ISO 14001. The product conforms to the International Energy Star Program.

PCR review was conducted by: PCR Deliberation Committee, January 01, 2008, Name of representative: Yohji Uchiyama, University of Tsukuba, Graduate School

Independent verification of the label and data, according to ISO 14025 🔲 internal 🔳 external Third party verifier *: System auditor, Yasuo Koseki

Program operator: Japan Environmental Management Association for Industry Email: ecoleaf@jemai.or.jp

The EcoLeaf is an environmental labeling program that belongs to the ISO-Type III category.

^{*} In the case of a business entity certified as an Ecoleaf-data-collection system, the names of certification auditors are written.

Product Environmental Information Data Sheet (PEIDS)

Document control no.	F-02As-02
Product vendor	Brother Industries,LTD.
EcoLeaf registration no.	AD-18-E1083



Unit Function DB version	v2.1
Characterization Factor DB version	v2.1

PCR name	EP&IJ printer	EP&IJ printer			HL-L329	OCDW US	
PCR code	AD-04	Product weight (kg)	21.99	Package (kg)	3.94	Weight total (kg)	25.93

			Life Cycle Stage		Produ	uction				
n/Out ite	ms			Unit	Raw material	Product	Distribution	Use	Disposition	Total
				MJ	2.57E+03	3.29E+02	1.11E+02	3.09E+04	2.32E+01	3.39E+04
	E	nergy (Consumption	Mcal	6.14E+02	7.86E+01	2.66E+01	7.38E+03	5.53E+00	8.10E+03
		se s	Coal	ka	1.40E+01	2.07E+00	2.60E-04	1.59E+02	1.38E-01	1.75E+02
		sonuc	Crude oil (for fuel)	kg	2.44E+01	2.55E+00	2.43E+00	2.97E+02	2.49E-01	3.27E+02
		3y re	LNG	ka	5.43E+00	1.13E+00	3.76E-02	5.56E+01	7.12E-02	6.22E+01
		ine g	Uranium content of an ore	kg	4.75E-04	1.40E-04	1.76E-08	5.28E-03	9.35E-06	5.91E-03
<u>_</u>		<u> </u>	Crude oil (for material)	kg	1.24E+01	6.17E-06	0	1.31E+02	0	1.44E+02
Consumption	w		Iron content of an ore	kg	7.12E+00	0	0	8.46E+01	0	9.18E+01
ΙË	ë		Cu content of an ore	kg	3.23E-01	0	0	3.94E-02	0	3.63E-01
Ins	l i		Al content of an ore	kg	5.33E-01	0	0	4.26E+00	0	4.80E+00
ü	ပ္ပ	w	Ni content of an ore	kg	3.35E-02	0	0	2.47E-01	0	2.81E-01
	9	Ö	C content of an ore	kg	4.75E-02	0	0	3.64E-01	0	4.12E-01
Se	l e	Š	Mn content of an ore	kg	3.91E-02	0	0	4.89E-01	0	5.28E-01
þ) ∰	SS	Pb content of an ore	kg	1.48E-02	0	0	3.20E-03	0	1.80E-02
Resource	añ a	Exhaustible resources Mineral resources	Sn content of an ore	kg	1.402 02	-	-	-	-	1.00L 02
N N	Ę		Zn content of an ore	kg	1.45E-01	0	0	3.15E-02	0	1.77E-01
≥	ú		Au content of an ore	kg	1.432-01	-	-	3.13E-02	-	1.772-01
/ses Impact I			Ag content of an ore	kg	_	_	_	_	_	
S			Silica Sand	kg	9.98E-01	0	0	1.11E+00	0	2.11E+00
8 E			Halite	kg	3.20E+00	1.02E-04	0	1.56E+01	8.47E-03	1.88E+01
<u> </u>			Limestone	kg	1.96E+00	6.63E-03	0	2.24E+01	1.88E-01	2.45E+01
anaiyses			Natural soda ash	kg	9.84E-02	0.03E-03	0	1.20E-02	0	1.10E-01
			Wood	kg	6.53E+00	1.85E-01	0	3.41E+02	0	3.48E+02
nventory		1	Water	kg	1.23E+04	1.58E+03	1.97E-01	9.70E+04	1.17E+02	1.11E+05
ы 	+				1.30E+02	1.71E+01	7.92E+00	1.93E+03	2.03E+01	2.11E+03
e S			CO2	kg	9.16E-02					
_ [<u>e</u>	Sox	kg	9.16E-02 1.74E-01	1.26E-02 1.17E-02	4.23E-03 2.75E-02	1.14E+00 2.75E+00	1.07E-02 2.30E-02	1.26E+00 2.99E+00
<u>i</u> .		욛	Nox N2O	kg	1.74E-01 1.24E-02	6.29E-04	1.47E-03		3.13E-05	1.35E-01
l é		o Atmosphere	CH4	kg	1.24E-02 1.26E-03	3.74E-04	4.72E-08	1.21E-01 1.40E-02	2.50E-05	1.57E-02
9		E .	CO CO	kg	1.82E-02	2.63E-03	5.21E-03	3.87E-01	4.26E-03	
<u></u>		₹	NMVOC	kg						4.18E-01
e tc		9		kg	2.46E-03	7.33E-04	9.23E-08	2.75E-02	4.90E-05	3.08E-02
arg			CxHy Dust	kg	5.79E-03	1.49E-04	9.73E-04	6.25E-02	8.42E-05	6.95E-02
l ç		_		kg	1.86E-02	6.42E-04	2.87E-03	2.22E-01	1.31E-03	2.45E-01
Inve Emission/Discharge to the environment	to Water system	o Water domain	BOD	kg	-		-	-	-	
In/L	sys	do	COD	kg	-		-	-	-	
sio	ater	ater	N total	kg	-	-	-	-	-	
nis	×	N _S	P total	kg	-	-	-	-	-	
m m	ţ		SS	kg	4.005.00	4.055.00	-	4.505.00	4.005.04	4.055.00
ρ		system	Unspecified Solid Waste	kg	1.33E+00	1.95E-03	0	1.53E+02	1.06E+01	1.65E+02
act		ll sy.	Slag	kg	2.42E+00	0	0	2.58E+01	0	2.83E+01
Impact by		to Soil	Sludge	kg	1.01E+00	0 9.78E-05	0	9.15E+00	0	1.02E+01
	_	ţ	Low level radio-active waste	kg	3.32E-04		1.23E-08	3.69E-03	6.53E-06	4.12E-03
by Res	2		Energy resources (crude oil equivalent)	kg	4.39E+01	6.38E+00	2.48E+00	5.09E+02	5.00E-01	5.62E+02
Sessi A		1	Mineral resources (Iron ore equivalent)	kg	1.13E+02	3.39E-06	0	3.85E+02	0	4.98E+02
t as		phere	Global Warming (CO2 equivalent)	kg	1.33E+02	1.73E+01	8.32E+00	1.97E+03	2.03E+01	2.15E+03
bac		Atmos	Acidification (SO2 equivalent)	kg	2.14E-01	2.08E-02	2.35E-02	3.07E+00	2.67E-02	3.35E+00
₹ .		ĝ								

[Notes for readers: EcoLeaf common rules]

I. Stage related

- A. "Production" stage is intended for two sub-stages listed below.
- (1) "Raw material" production: consists of mining, transportation and raw material production.
- (2) "Product" production: consists of the parts processing, assembly and installation.
- B. "Distribution" stage is intended for transportation of produced product, Transportation of consumables and maintenance goods (e.g. replacement parts) for use of the product are included into "Use" stage.
- "Use" stage is intended for use of the product (active mode, standby mode, etc.) and production, transportation to disposal of consumables/maintenance goods (e.g. replacement parts)
- D. "Disposition" stage is intended for environmental impacts by product disposition.

Il Inventory analyses

- A. Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g. iron, aluminum) in the ore.
- B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel.
- C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CO₂ in case of "Global Warming").

A. Impact "by resource consumption" represents magnitude of impacts to resource depletion.

B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system.

IV Data entry format

- A. Exponential notation, after the decimal point to two, should be used.
- B. Indicate "0" instead exponential notation, if the result of calculation or estimation is considered as "zero" or negligible in comparison to related results.
- C. Indicate " " if calculation nor estimation can not be done, in order to differentiate to indicate "zero".
- D. Row total of the data is automatically calculated, excluding a row includes " " item. Row total of such is presented as a blank (no data)

(BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

[Notes for readers: Target product specific]

- 1. Product weight includes the accessories as standard equipment, a toner cartridge and a drum unit. Packaging weight includes packaging material and appended goods (e.g., user's manual, other printed matter, polyethylene bags).
- 2. Production stage includes the production/distribution impact of the parts making up a machine and the initial set of a toner cartridge and a photo conductor, as well as the impact of product assembly.
- 3. Distribution stage's impact is calculated according to the PCR. The transportation distance of a product from an overseas factory to the port of Japan is based on actual distance.

The transportation distance in Japan uses 100 kmas average distance

4. Use stage's impact is calculated according to the PCR. It includes the impact of printing 345.600 sheets, calculated by supposing a user use a machine for 5 years,

It also includes the electricity consumption of a machine calculated based on 5-year use, supposing a month consists of 4 weeks, with weekly electricity consumption calculated by the TEC test procedure.

The production, distribution, and disposal/recycle impact of the consumables used in those 5 years is also included. The distribution impact of consumables is calculated under the same condition of products:

The transportation distance of consumables from an overseas factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance.

Since we have not collected consumables as a producer, which are newly introduced, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material. This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of consumables.

- 5. Disposal stage: Since we have not collected machines as a producer, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material.
- This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of machines.
- 6. Others: This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

Product data sheet

(Input data and parameters for LCA)

Document control no.	F-03s-02
Product vendor	Brother Industries,LTD.
EcoLEaf registration no.	AD-18-E1083



PCR name	EP and IJ printer(PCR ID:AD-04)	Product type	HL-L3290CDW US				
LCA/LCIA in units of:	1	Product weight (kg)	21.99	Package (kg)	3.94	Weight total (kg)	25.93

1. Product information (per unit): parts etc. by material and by process/assembly method

	Bre	eakdown of pr	rimary materials	Math breakdown of parts, which need to apply Processing / Assembly Base Units (Parts B, C)				
	Material name	Weight (kg)	Material name	Weight (kg)	Process name	Weight (kg)	Process name	Weight (kg)
	Steel	6.06E+00	Paper		Press molding:līon (kg)	6.27E+00	Parts assembly (kg)	3.48E+00
	Stainless steel	2.11E-01	Semiconductor substrate	1.31E+00	Press molding:Nonferrous metal (kg)	2.09E-01		
-	Aluminum	4.44E-01	Medium-sized motor	7.13E-01	Injection molding (kg)	1.32E+01		
roduct	Other metal	3.01E-03	Lubricants	1.05E-02	Glass molding (kg)	7.85E-01		
2	Thermoplastic resin	1.28E+01						
Δ.	Thermosetting resin	1.08E-01						
	Rubber	4.20E-01						
	Glass	7.85E-01						
	Subtotal	2.08E+01	Subtotal	5.09E+00				
		Total		2.59E+01	Subtotal	2.04E+01	Subtotal	3.48E+00

Note

2. Production site information (per unit): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO_2 , NO_2 equivalent.

	Classification	Material	Energy	Energy	Energy	Energy	Energy	Energy	Energy
	Distribution	Corrugated cardboard (kg)	Electricity (kWh)	Diesel truck: 10 ton (kg·km)	Diesel truck:4 ton (kg·km)	Furnace LNG (kg)	Diesel oil as fuel (kg)	Heavy oil as fuel (kg)	Freight by ship (kg·km)
mption	Quantity	7.28E-02	1.53E+01	1.97E+01	1.65E+02	8.96E-02	2.50E-02	7.70E-02	1.02E+03
튵	Note								
Consur	Classification	Material	Material	Energy	Energy	Energy	Material	Energy	
S	Distribution	Raw wood(Imported) (kg)	Low density polyethylene (kg)	Furnace LPG (kg)	Diesel truck:20 ton (kg·km)	Injection molding (kg)	Polypropylene (kg)	Incineration: Industrial waste (kg)	
	Quantity	2.96E-02	2.05E-06	4.81E-02	6.77E+01	6.20E-06	4.16E-06	1.02E-01	
	Note								
arge	Classification								
Disch	Distribution								
/uois	Quantity								
Ë	Note		_						

Note

3. Distribution stage information (per unit): means, distance, loading ratio, consumptions and emissions/discharges.

	Means of transportation	Diesel truck:20 ton (kg·km)	Freight by ship (kg·km)	Freight by ship (kg·km)	Freight by ship (kg·km)	Freight by ship (kg·km)			
	Conditions	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)
8	Quantity	2.59E+01	7.00E+01	4.12E+01	4.40E+03	2.59E+01	5.30E+03	1.00E+02	1.37E+05
ig et	Note								
=	Means of transportation	Diesel truck: 10 ton (kg·km)							
Disi	Conditions	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg·km)				
	Quantity	2.59E+01	1.00E+02	4.12E+01	6.29E+03				
	Note								

Note

4. Use stage (per unit): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

	auot ama a	occocine canje	ct to tills allalys						
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Electricity (kWh)	Diesel truck:20 ton (kg·km)	Freight by ship (kg·km)	Diesel truck: 10 ton (kg·km)	Electroplated steel Plate (kg)	Stainless steel plate (kg)	Aluminum plate (kg)	Copper plate (kg)
	Quantity	3.03E+02	1.04E+05	2.05E+06	1.49E+05	8.11E+01	1.56E+00	4.03E+00	3.46E-02
	Note	Electricity consumption for 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years				
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Glass (kg)	High density polyethylene (kg)	Low density polyethylene (kg)	Polypropylene (kg)	Polystyrene (kg)	PBT (kg)	Polycarbonate (kg)	Polycarbonate-ABS (70/30) (kg)
	Quantity	8.15E-02	5.30E-02	8.39E+00	1.34E+01	5.69E+01	6.14E-02	6.74E+00	1.65E+00
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	POM(polyacetal) (kg)	ABS (kg)	AS resin (kg)	PA66(Polyamide 66) (kg)	PET (kg)	Expandable soft polyurethane(for automobile) (kg)	Nitrile-butadiene rubber(NBR) (kg)	Corrugated cardboard (kg)
	Quantity	7.91E+00	4.72E+00	2.47E+01	1.42E-01	3.99E+00	1.93E+00	1.05E+01	1.53E+02
Product	Note								
ĕ	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
_	Distribution	Paper(Western style) (kg)	Assembled circuit board (kg)	Press molding:Iron (kg)	Press molding Nonferrous metal (kg)	Injection molding (kg)	Glass molding (kg)	Parts assembly (kg)	Electricity (kWh)
	Quantity	5.84E+00	2.10E-01	8.27E+01	1.32E+00	1.22E+02	8.15E-02	6.90E+01	3.95E+02
	Note								Production of consumables used in 5 years
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Diesel truck:20 ton (kg·km)	Freight by ship (kg·km)	Diesel truck: 10 ton (kg·km)	Heavy oil as fuel (kg)	Diesel oil as fuel (kg)	Furnace LPG (kg)	Furnace LNG (kg)	Low density polyethylene (kg)
	Quantity	7.78E+02	9.11E+04	3.08E+03	1.40E+01	5.00E-01	9.62E-01	1.03E+00	3.21E-04
	Note	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Process		
	Distribution	Polypropylene (kg)	Raw wood(Imported) (kg)	Corrugated cardboard (kg)	Injection molding (kg)	Diesel truck:4 ton (kg·km)	Incineration: Industrial waste (kg)		
	Quantity	6.51E-04	3.40E-01	8.39E-01	9.72E-04	1.90E+03	1.18E+00		
	Note	Production of consumables used in 5 years	Production of consumables used in 5 years	Incineration to landfill (as ash) (kg)	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years		

Note Electric power consumption in 5 years of "Use stage" is 322kWh.

4.2 Disposition/Recycle information on consumables and replacement parts

4.2 DIS	z Disposition/Recycle information on consumables and replacement parts										
les	Classification	Process	Process	Process	Process						
nab	Distribution	Diesel truck:4 ton (kg·km)	Shredding (kg)	Incineration to landfill(as ash) (kg)	Landfill:General waste (kg)						
nsu	Quantity	3.77E+04	2.11E+02	3.30E+02	8.83E+01						
క	Note	Consumables not collected	Consumables not collected	Consumables not collected	Consumables not collected						

Note

5. Disposition/Recycle stage information (per product): process method and scenarios

٠.	Dispu	Sition/Nec	ycie stage illioili	iation (per produ	ici). process mei	illou allu scellari	05		
ſ	0	Classification	Consumption	Process	Process	Process			
ı	nari	Distribution	Diesel truck:4 ton (kg·km)	Shredding (kg)	Incineration to landfill(as ash) (kg)	Landfill:General waste (kg)			
ı	cer	Quantity	2.24E+03	1.92E+01	1.48E+01	8.30E+00			
П	S	Note	Machines not collected	Machines not collected	Machines not collected	Machines not collected			

Note