Product Environmental Aspects Declaration

EP and IJ printer (PCR number: AD-04)



http://www.brother-usa.com/

For inquiry:

Environmental Product Group Production Innovation Dept. Production & Engineering Center Brother Industries, Ltd. Tel: +81-52-824-2511 (Representative) Fax: +81-52-824-5166



No. AD-18-E982 Date of publication Jun./05/2018

Laser Printer HL-L6400DW

Specifications:

- Electrophotographic Printer (EP)
- · Black & White
- Printing Speed: 50ppm (A4)
- Maximum Printing Size: Legal
- · Wireless 802.11b/g/n, Gigabit Ethernet, Hi-Speed USB 2.0
- Duplex Printing

The following data is calculated by assuming the product prints 1,500,000 sheets in 5-year usage period.

- < Main environmental impact in the product lifecycle >
- Energy consumption 24,700MJ
- Global warming impact (CO₂ equivalent) 1,402.5kg
- Acidification impact (SO₂ equivalent)
 2.18kg



Global warming impact each stage (CO₂ equivalent) 1500 1 288 8 1000 500 86.0 10.8 13.3 3.6 Λ Raw material Product Distribution Use Disposal Production Production

· Electric power consumption in 5 years of "Use stage" is 596kWh.

· The above data does not include the environmental impact of the paper that is used for printing.

Notes:

- 1. Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- 2. Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PCR:Product Category Rule. Visit EcoLeaf website under JEMAI homepage at http://www.ecoleaf-jemai.jp/eng/ for details.
- 3. Basic Units used for calculations are based on Japan domestic data at this time, due to a lack of base data to establish localized Basic Unit for overseas locations adequately.
- 4. This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

[Supplemental environmental information]

The product assembly and main parts of toner and photoreceptor are produced at plants certified with ISO 14001. The product conforms to the International Energy Star Program.

PCR review was conducted by: PCR Deliberation Committee, January 01, 2008, Name of representative: Yohji Uchiyama, University of Tsukuba, Graduate School Independent verification of the label and data, according to ISO 14025 🗌 internal 🔳 external Third party verifier *: System auditor, Yasuo Koseki

Program operator: Japan Environmental Management Association for Industry Email: ecoleaf@jemai.or.jp

* In the case of a business entity certified as an Ecoleaf-data-collection system, the names of certification auditors are written.

The EcoLeaf is an environmental labeling program that belongs to the ISO-Type III category.

Product Environmental Information Data Sheet (PEIDS)



v2.1

Unit Function DB version

Characterization Factor DB version

Document control no.	F-02As-02
Product vendor	Brother Industries,LTD.
EcoLeaf registration no.	AD-18-E982

PCR name	EP(Electrophotographic Printer) an	Product type	HL-L6400DW				
PCR code	AD-04	Product weight (kg)	13.16	Package (kg)	2.57	Weight total (kg)	15.73
-	•						

	_			Life Cycle Stage		Produ	uction				
In/Ou	ut iten	ns			Unit	Raw material	Product	Distribution	Use	Disposition	Total
		-			MJ	1.69E+03	2.03E+02	4.90E+01	2.27E+04	1.48E+01	2.47E+04
		E	nergy C	Consumption	Mcal	4.05E+02	4.86E+01	1.17E+01	5.42E+03	3.53E+00	5.89E+03
	1		es	Coal	kg	8.22E+00	1.24E+00	1.15E-04	1.00E+02	8.89E-02	1.10E+02
			sourc	Crude oil (for fuel)	kg	1.73E+01	1.68E+00	1.07E+00	2.10E+02	1.58E-01	2.30E+02
			gy re	LNG	kg	3.26E+00	6.46E-01	1.65E-02	4.41E+01	4.58E-02	4.81E+01
			Ener	Uranium content of an ore	kg	3.23E-04	8.39E-05	7.76E-09	4.64E-03	6.01E-06	5.05E-03
	Ē			Crude oil (for material)	kg	7.99E+00	1.29E-02	0	8.94E+01	0	9.74E+01
	Consumption	S		Iron content of an ore	kg	4.08E+00	0	0	3.05E+01	0	3.45E+01
	Ĕ	ë		Cu content of an ore	kg	2.22E-01	0	0	8.60E-02	0	3.08E-01
	su	un.		Al content of an ore	kg	1.08E-01	0	0	2.40E+00	0	2.51E+00
	o	so	S	Ni content of an ore	kg	1.23E-02	0	0	2.19E-01	0	2.31E-01
	impact by Resource C	E	çe	C content of an ore	ka	1.79E-02	0	0	3.06E-01	0	3.24E-01
		ble	suble	Mn content of an ore	kg	2.08E-02	0	0	1.95E-01	0	2.16E-01
	n	stil		Pb content of an ore	kg	1.03E-02	0	0	2.37E-03	0	1.26E-02
	esc	au	2	Sn content of an ore	kg	-	-	-	-	-	
	ñ	ř	Exhaustible resources Mineral resources	Zn content of an ore	kġ	1.01E-01	0	0	2.33E-02	0	1.24E-01
	þ	ш		Au content of an ore	kg	-	-	-	-	-	
	ct			Ag content of an ore	kg	-	-	-	-	-	
S	pa			Silica Sand	kg	3.61E-01	0	0	5.54E-01	0	9.16E-01
anaiyses	<u>=</u>			Halite	kg	2.11E+00	7.16E-05	0	9.34E+00	4.40E-03	1.15E+01
jaj				Limestone	kg	1.06E+00	4.64E-03	0	9.50E+00	1.23E-01	1.07E+01
				Natural soda ash	kğ	3.15E-02	0	0	2.21E-02	0	5.37E-02
nventory				Wood	kġ	4.14E+00	1.16E-01	0	1.68E+02	0	1.72E+02
rtc		home		Water	kg	7.97E+03	9.45E+02	8.66E-02	7.08E+04	7.53E+01	7.98E+04
ve	ъ			CO2	kg	8.38E+01	1.07E+01	3.48E+00	1.27E+03	1.33E+01	1.38E+03
<u> </u>	ne		d)	Sox	ka	5.16E-02	7.75E-03	2.08E-03	7.95E-01	6.96E-03	8.64E-01
	on		ere	Nox	ka	1.10E-01	7.96E-03	1.58E-02	1.73E+00	1.49E-02	1.88E+00
	š		hq	N2O	kg	7.97E-03	3.70E-04	5.95E-04	8.15E-02	1.96E-05	9.05E-02
	e		SO	CH4	kg	8.61E-04	2.24E-04	2.08E-08	1.24E-02	1.61E-05	1.35E-02
	the		Ę	CO	kg	1.02E-02	1.57E-03	3.99E-03	2.44E-01	2.73E-03	2.62E-01
	to		o Atmosphere	NMVOC	kğ	1.68E-03	4.39E-04	4.06E-08	2.42E-02	3.15E-05	2.64E-02
	ge		Ŧ	CxHy	kğ	3.81E-03	1.22E-04	4.86E-04	4.05E-02	5.19E-05	4.50E-02
	har			Dust	kğ	1.16E-02	5.12E-04	1.53E-03	1.40E-01	8.49E-04	1.55E-01
	mpact by Emission/Discharge to the environment	em	ain	BOD	kg	-	-	-	-	-	
	9	to Water system	Water domain	COD	kg	-	-	-	-	-	
	sior	ters	erc	N total	kg	-	-	-	-	-	
	liss	Wal	Wat	P total	kg	-	-	-	-	-	
	Ш	9	to	SS	kg	-	-	-	-	-	
	þ		tem	Unspecified Solid Waste	kg	9.95E-01	1.73E-03	0	7.42E+01	5.50E+00	8.07E+01
	tot	to Soil system		Slag	kg	1.42E+00	0	0	9.33E+00	0	1.07E+01
	edu			Sludge	kg	1.40E-01	0	0	5.09E+00	0	5.23E+00
	Ч			Low level radio-active waste	kg	2.26E-04	5.86E-05	5.43E-09	3.24E-03	4.20E-06	3.53E-03
ent	s our e and ion	Exhausti	ble resources	Energy resources (crude oil equivalent)	kg	2.92E+01	3.94E+00	1.09E+00	3.65E+02	3.19E-01	4.00E+02
ms sa	ty Pe Ocean			Mineral resources (Iron ore equivalent)	kg	6.77E+01	7.11E-03	0	2.77E+02	0	3.45E+02
as se	aon / pa to sant	to Atm	nosphere	Global Warming (CO2 equivalent)	kg	8.60E+01	1.08E+01	3.64E+00	1.29E+03	1.33E+01	1.40E+03
pact	Emiss 8 drang 7 vironn			Acidification (SO2 equivalent)	kg	1.28E-01	1.33E-02	1.32E-02	2.01E+00	1.74E-02	2.18E+00
E	Impa by Er envis										

[Notes for readers: EcoLeaf common rules]

I. Stage related

A. "Production" stage is intended for two sub-stages listed below.

(1) "Raw material" production: consists of mining, transportation and raw material production.

(2) "Product" production: consists of the parts processing, assembly and installation.

B. "Distribution" stage is intended for transportation of produced product, Transportation of consumables and maintenance goods (e.g. replacement parts) for use of the product are included into "Use" stage.

C. "Use" stage is intended for use of the product (active mode, standby mode, etc.) and production, transportation to disposal of consumables/maintenance goods (e.g. replacement parts)

D. "Disposition" stage is intended for environmental impacts by product disposition.

II Inventory analyses

A. Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g. iron, aluminum) in the ore.

B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel. C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

III Impact analyses

Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CO₂ in case of "Global Warming").

A. Impact "by resource consumption" represents magnitude of impacts to resource depletion.

B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system.

IV Data entry format

A. Exponential notation, after the decimal point to two, should be used.

B. Indicate "0" instead exponential notation, if the result of calculation or estimation is considered as "zero" or negligible in comparison to related results. C. Indicate " - " if calculation nor estimation can not be done, in order to differentiate to indicate "zero".

D. Row total of the data is automatically calculated, excluding a row includes " - " item. Row total of such is presented as a blank (no data) (BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

[Notes for readers: Target product specific]

1. Product weight includes the accessories as standard equipment, a toner cartridge and a drum unit. Packaging weight includes packaging material and appended goods (e.g., user's manual, other printed matter, polyethylene bags). 2. Production stage includes the production/distribution impact of the parts making up a machine and the initial set of a toner cartridge and a photo conductor, as well as the impact of product assembly.

3. Distribution stage's impact is calculated according to the PCR. The transportation distance of a product from an overseas factory to the port of Japan is based on actual distance.

The transportation distance in Japan uses 100 kmas average distance

4. Use stage's impact is calculated according to the PCR. It includes the impact of printing 1,500,000 sheets, calculated by supposing a user use a machine for 5 years.

It also includes the electricity consumption of a machine calculated based on 5-year use, supposing a month consists of 4 weeks, with weekly electricity consumption calculated by the TEC test procedure.

The production, distribution, and disposal/recycle impact of the consumables used in those 5 years is also included. The distribution impact of consumables is calculated under the same condition of products:

The transportation distance of consumables from an overseas factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance.


Since we have not collected consumables as a producer, which are newly introduced, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material. This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of consumables

5. Disposal stage: Since we have not collected machines as a producer, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material

This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of machines.

6. Others: This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

Product data sheet





	PCR name	E	EP and IJ prir	nter(PCR ID:AD-04)	Product t	ype				HL-L640	DW	
LCA	/LCIA in units of:		1		Product weig	ht (kg)	(g) 13.16 Packa		ge (kg) 2.57		Weight total (kg)	15.73
1. Prod	uct information (per unit): p	arts etc. by	material and by process/as	ssembly me	thod						
			Math b	reakdown of pa	arts, which	n need to ap	ply Proces	sing / Assembly Base Un	its (Parts B, C)			
	Material name		Weight (kg)	Material name	Weight (kg)	P	Process name		Weight (<g)< td=""><td>Process name</td><td>Weight (kg)</td></g)<>	Process name	Weight (kg)
	Steel		3.40E+00	Semiconductor substrate	9.16E-01	Press	Press molding:Iron (kg)		3.48E+0	00 Pa	rts assembly (kg)	1.71E+00
	Stainless steel		7.73E-02	Medium-sized motor	4.82E-01	Press mo	Press molding:Nonferrous metal (kg)		1.82E-0	2		
+	Aluminum		6.16E-02	Lubricants	9.58E-03	Injec	Injection molding (kg)		8.40E+0	00		
duct	Thermoplast	c resin	8.56E+00			Gla	iss molding	(kg)	1.05E-0	1		
2	Thermosettin	g resin	3.13E-02									
ā	Rubbe	r	1.45E-01									
	Glass		1.05E-01									
	Paper		1.94E+00									
	Subtota	al	1.43E+01	Subtotal	1.41E+00							
			Total		1.57E+01		Subtotal		1.20E+0)1	Subtotal	1.71E+00

Note

2. Production site information (per unit): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO₂, NO₂ equivalent.

	Classification	Material	Energy	Energy	Energy	Energy	Energy	Energy	Energy
	Distribution	Corrugated cardboard (kg)	Electricity (kwh)	Diesel truck: 10 ton (kg.km)	Incineration: Industrial waste (kg)	LNG as fuel (kg)	Diesel oil as fuel (kg)	Heavy oil fuel (kg)	Freight by ship (kg.km)
ioi	Quantity	5.12E-02	9.27E+00	5.16E+01	7.16E-02	2.07E-02	1.59E-02	1.82E-01	1.32E+03
b d	Note								
Consumption	Classification	Energy	Material	Material	Energy	Material			
Co	Distribution	Diesel truck: 20 ton (kg.km)	Raw wood (foreign) (kg)	Low density polyethylene (kg)	LPG(NPG) as fuel (kg)	PP (kg)			
	Quantity	7.07E+01	7.38E-03	4.29E-03	3.03E-02	8.71E-03			
	Note								
arge	Classification								
/Discha	Distribution								
Emission /	Quantity								
Emis	Note								
Note									

3. Distribution stage information (per unit): means, distance, loading ratio, consumptions and emissions/discharges.

	Means of transportation	Diesel truck: 20 ton (kg.km)	Freight by ship (kg.km)						
	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)
ution	Quantity	1.57E+01	7.00E+01	3.09E+01	3.56E+03	1.57E+01	3.50E+03	1.00E+02	5.50E+04
ibuti	Note								
Distrit	Means of transportation	Diesel truck: 10 ton (kg.km)							
Di	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)				
	Quantity	1.57E+01	1.00E+02	3.08E+01	5.10E+03				
	Note								
Note									

4. Use stage (per unit): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Electricity (kwh)	Diesel truck: 20 ton (kg.km)	Freight by ship (kg.km)	Diesel truck: 10 ton (kg.km)	Cold-Rolled steel plate (kg)	Electroplated steel Plate (kg)	Stainless steel plate (kg)	Aluminum plate (kg
	Quantity	5.96E+02	5.83E+04	7.12E+05	8.33E+04	1.84E-01	2.85E+01	1.38E+00	2.24E+00
	Note	Electricity consumption for 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years				
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Glass (kg)	High density polyethylene (kg)	Low density polyethylene (kg)	PP (kg)	PA66 (Polyamide 66) (kg)	PS (kg)	PBT(Poly Butylene Terephtalate) (kg)	Polycarbonate (kg
	Quantity	2.01E-01	2.69E-02	3.74E+00	2.49E+00	3.36E-02	3.16E+01	3.37E-02	4.08E+00
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	PC-ABS(70/30)(kg)	POM(polyacetal) (kg)	ABS (kg)	AS resin (kg)	MMA resin (kg)	PET (kg)	Expandable soft polyurethane (for automobile) (kg)	Nitrile-butadiene rubber (NBR) (k
	Quantity	4.63E-01	4.16E+00	3.67E+00	3.83E+01	2.94E-01	3.84E+00	1.36E+00	1.62E+00
Product	Note								
2 Lo	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Corrugated cardboard (kg)	Paper (Western style)	Assembled circuit board(kg)	Medium-sized motor (kg)	Press molding: Iron (kg)	Press molding:Nonferrous metal (kg)	Injection molding (kg)	Glass molding (kg
	Quantity	7.34E+01	1.52E+00	2.11E-01	2.87E-01	3.00E+01	1.18E-01	5.74E+01	2.01E-01
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Process
	Distribution	Parts assembly (kg)	Electricity (kwh)	Heavy oil fuel (kg)	Diesel oil as fuel (kg)	LPG(NPG) as fuel (kg)	LNG as fuel (kg)	Raw wood (foreign) (kg)	Incineration: Industrial waste (k
	Quantity	1.13E+01	2.84E+02	2.11E+01	2.05E-01	3.90E-01	1.02E+00	3.62E-01	5.71E+00
	Note		Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 year
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption		
	Distribution	Diesel truck: 20 ton (kg.km)	Freight by ship (kg.km)	Diesel truck: 10 ton (kg.km)	Corrugated cardboard (kg)	Low density polyethylene (kg)	PP (kg)		
	Quantity	3.46E+03	1.41E+05	5.98E+03	3.85E+00	4.97E-01	1.01E+00		
	Note	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years		

4.2 Dis	.2 Disposition/Recycle information on consumables and replacement parts										
nables	Classification	Consumption	Process	Process	Process						
	Distribution	Diesel truck: 4 ton (kg.km)	Shredding (kg)	Incineration to 1 andfill	Landfill: General waste (kg)						
Insu	Quantity	1.98E+04	1.19E+02	1.67E+02	3.81E+01						
ē	Note	Consumables not collected	Consumables not collected	Consumables not collected	Consumables not collected						
Note											

5. Disposition/Recycle stage information (per product): process method and scenarios

.0	Classification	Consumption	Process	Process	Process		
	Distribution	Diesel truck: 4 ton (kg.km)	Shredding (kg)	Incineration to 1 andfill	Landfill: General waste (kg)		
cer	Quantity	1.38E+03	1.17E+01	9.70E+00	4.00E+00		
s	Note	Machines not collected	Machines not collected	Machines not collected	Machines not collected		
Note							